Simple

HE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of: Matthew M. Morrison et al. Serial No. 09/941,056	Before the Examiner Eduardo C. Robert Group Art Unit 3732	Alexandria VA 22313-1450 20231 on Monday April 9 7004 Date of Deposit
Filed August 28, 2001		Name of Registered Representative
MULTI-AXIAL BONE ANCHOR) SYSTEM	April 19, 2004	Mounday April A, 2004

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313

Sir:

In response to the Notice of Non-Compliant Amendment dated March 17, 2004, please consider the following. No extensions of time or fees are believed to be due for consideration of this paper. If any extensions of time are deemed necessary or any additional fees deemed due, please grant such extensions and charge any such additional fees to Deposit Account 23-3030, but not to include issue fees.

04/28/2004 SBRYCE

00000002 233030 09941056

01 FC:1251

110.00 DA

REMARKS

The Notice of Non-Compliant Amendment ("Notice") dated March 17, 2004 was not clear as to why it was issued. Subsequent telephone calls with Legal Instruments Examiner Stefanie Bryce indicated that the Notice was issued because the prior amendment left out the text of previously withdrawn claims 1-34 and 40-68. Applicants have now re-submitted the entirety of the corrected section, headed "In The Claims," in compliance with the Notice.

Applicants now respectfully request that this case be reconsidered based on the response offered above and the rest of the amendment and terminal disclaimer originally filed on January 14, 2004. The Examiner is invited to telephone the undersigned attorney at the number below if there are any questions or further issues concerning this application or amendment.

Respectfully submitted,

By JUNA BAN IV

Christopher A. Brown, Reg. No. 41,642

Woodard, Emhardt, Moriarty, McNett & Henry LLP

Bank One Center/Tower

111 Monument Circle, Suite 3700

Indianapolis, Indiana 46204-5137

(317) 634-3456

004002-002817.CAB.275354